	Application No.	Applicant(s)
Notice of Allowability	10/698,314 Examiner	TEMADA Art Unit
House of Anowasinty	Examiner	Artonic
	Melody M. Burch	3683
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 7/5/06</u> .		
2. The allowed claim(s) is/are 1,2,4 and 6-22.		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
Attachment(s)	T [Nation of Information	Detect Application
1. Notice of References Cited (PTO-892)	5. Notice of Informal I	* *
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da 7. ☑ Examiner's Amend	/ (P10-413), ate
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	
•		

Application/Control Number: 10/698,314

Art Unit: 3683

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Andrew Cernota on 9/13/06.

The application has been amended as follows:

- In lines 8, 10, 13, 15, and 16 of claim 1 the phrase "rib" has been changed to --ribs-- since more than one rib was previously recited;
- In line 17 of claim 1 the phrase "said weld" has been changed to --said at least one welded—to maintain consistency;
- In line 3 of claim 8 the phrase "members" has been changed to --members.-- (a period at the end of the claim);
- In line 1 of claim 9 the phrase "a projecting" has been changed to --said projecting-- to refer back to the previously recited projecting part and the phrase "piece" has been changed to --piece.-- (a period at the end of the claim);
- In line 14 of claim 1 the phrase "a welded surface" has been changed to --at least one welded surface--;
- In lines 2-3 of claim 22 the phrase "said welded surfaces" has been changed to -- said at least one welded surface-- to maintain consistency.

Application/Control Number: 10/698,314

Art Unit: 3683

2. The following is an examiner's statement of reasons for allowance: The Salloum reference fails to show the location of the at least one welded surface, the coaxially arranged ribs, and the projecting and receiving parts as recited. Some of the other prior art references show the location of the at least one welded surface with respect to one energy absorbing member but fail to show or suggest a plurality of energy absorbing members including the recited coaxial arrangement of ribs of first and second energy absorbing members and the presence of projecting and receiving parts on first and second energy absorbing members, respectively, as recited. Accordingly, the claims are allowable over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melody M. Burch whose telephone number is 571-272-7114. The examiner can normally be reached on Monday-Friday (6:30 AM-3:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James McClellan can be reached on 571-272-6786. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/698,314 Page 4

Art Unit: 3683

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

mmb September 16, 2006

> Mslody M. Burch INelody Burch Drimary Examiner 9146106